




Aluminum Sheet Plate Stock List




Product Catalog

We supply a wide range of 2024 aluminum products, including various Alclad aluminum sheets and plates, ensuring consistent performance and reliable quality. We support small batch orders and offer fast, efficient service for both in-stock and custom products.


2024 O Alclad Aluminum Sheet.....	1
2024 O Aluminum Plate.....	2
2024 T3 Alclad Aluminum Sheet.....	4
2024 T3 Aluminum Plate.....	5
2024 T351 Aluminum Plate.....	6
2024 T4 Alclad Aluminum Sheet.....	8
2024 T4 Aluminum Plate.....	9



Aluminum Sheet Plate Stock List



2024 O Alclad Aluminum Sheet




Specs: AMS 4040, ASTM B209, EN 485, AMS-QQ-A-250/5

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.031	59.055	118.110	22.064	10.008	0.8	1500	3000
0.039	59.055	118.110	27.580	12.510	1	1500	3000
0.047	59.055	118.110	33.096	15.012	1.2	1500	3000
0.098	59.055	118.110	68.950	31.275	2.5	1500	3000
0.118	59.055	118.110	82.739	37.530	3	1500	3000
0.197	59.055	118.110	137.899	62.550	5	1500	3000
0.236	59.055	118.110	165.479	75.060	6	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 O Aluminum Plate




Specs: AMS 4040,ASTM B209, EN 485, AMS-QQ-A-250/5

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.315	59.055	118.110	220.639	100.080	8	1500	3000
0.394	59.055	118.110	275.798	125.100	10	1500	3000
0.472	59.055	118.110	330.958	150.120	12	1500	3000
0.551	59.055	118.110	386.118	175.140	14	1500	3000
0.591	59.055	118.110	416.674	189.000	15	1500	3000
0.591	59.055	118.110	413.697	187.650	15	1500	3000
0.630	59.055	118.110	441.277	200.160	16	1500	3000
0.787	59.055	118.110	551.597	250.200	20	1500	3000
0.866	59.055	118.110	606.756	275.220	22	1500	3000
0.984	59.055	118.110	689.496	312.750	25	1500	3000
1.181	59.055	118.110	827.395	375.300	30	1500	3000
1.260	59.055	118.110	882.555	400.320	32	1500	3000
1.575	59.055	118.110	1103.193	500.400	40	1500	3000
1.772	59.055	118.110	1241.092	562.950	45	1500	3000
1.969	59.055	118.110	1378.991	625.500	50	1500	3000
2.165	59.055	118.110	1516.891	688.050	55	1500	3000
2.362	59.055	118.110	1654.790	750.600	60	1500	3000
2.559	59.055	118.110	1792.689	813.150	65	1500	3000
2.756	59.055	118.110	1930.588	875.700	70	1500	3000
2.953	59.055	118.110	2068.487	938.250	75	1500	3000
3.150	59.055	118.110	2206.386	1000.800	80	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
3.346	59.055	118.110	2344.285	1063.350	85	1500	3000
3.543	59.055	118.110	2482.185	1125.900	90	1500	3000
3.937	59.055	118.110	2757.983	1251.000	100	1500	3000
4.134	59.055	118.110	2895.882	1313.550	105	1500	3000
4.724	59.055	118.110	3309.579	1501.200	120	1500	3000
5.118	59.055	118.110	3585.378	1626.300	130	1500	3000
5.512	59.055	118.110	3861.176	1751.400	140	1500	3000
5.906	59.055	118.110	4136.974	1876.500	150	1500	3000
6.299	59.055	118.110	4412.773	2001.600	160	1500	3000
6.693	59.055	118.110	4688.571	2126.700	170	1500	3000
7.087	59.055	118.110	4964.369	2251.800	180	1500	3000
7.874	59.055	118.110	5515.966	2502.000	200	1500	3000
7.874	78.740	157.480	9806.161	4448.000	200	2000	4000
9.449	78.740	157.480	11767.394	5337.600	240	2000	4000
10.236	78.740	157.480	12748.010	5782.400	260	2000	4000
10.630	59.843	118.898	7596.147	3445.554	270	1520	3020
11.024	59.843	118.898	7877.486	3573.167	280	1520	3020
11.417	59.843	118.898	8158.824	3700.780	290	1520	3020
11.811	59.843	118.898	8440.163	3828.394	300	1520	3020

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 T3 Alclad Aluminum Sheet




Specs: AMS 4041, ASTM B209, EN 485, AMS-QQ-A-250/5

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.039	59.055	118.110	27.580	12.510	1	1500	3000
0.047	59.055	118.110	33.096	15.012	1.2	1500	3000
0.079	59.055	118.110	55.160	25.020	2	1500	3000
0.098	59.055	118.110	68.950	31.275	2.5	1500	3000
0.118	59.055	118.110	82.739	37.530	3	1500	3000
0.157	59.055	118.110	110.319	50.040	4	1500	3000
0.197	59.055	118.110	137.899	62.550	5	1500	3000
0.236	59.055	118.110	165.479	75.060	6	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 T3 Aluminum Plate




Specs: AMS 4041, ASTM B209, EN 485, AMS-QQ-A-250/5

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.787	59.055	118.110	551.597	250.200	20	1500	3000
0.984	59.055	118.110	689.496	312.750	25	1500	3000
1.181	59.055	118.110	827.395	375.300	30	1500	3000
1.378	59.055	118.110	965.294	437.850	35	1500	3000
1.575	59.055	118.110	1103.193	500.400	40	1500	3000
1.772	59.055	118.110	1241.092	562.950	45	1500	3000
1.969	59.055	118.110	1378.991	625.500	50	1500	3000
2.362	59.055	118.110	1654.790	750.600	60	1500	3000
2.756	59.055	118.110	1930.588	875.700	70	1500	3000
3.150	59.055	118.110	2206.386	1000.800	80	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 T351 Aluminum Plate




Specs: AMS 4036, AMS 4037,ASTM B209, EN 485, AMS-QQ-A-250/4

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.250	59.055	118.110	175.132	79.439	6.35	1500	3000
0.472	59.055	118.110	330.958	150.120	12	1500	3000
0.500	59.055	118.110	350.264	158.877	12.7	1500	3000
0.591	59.055	118.110	413.697	187.650	15	1500	3000
0.787	59.055	118.110	551.597	250.200	20	1500	3000
1.043	59.055	118.110	730.865	331.515	26.5	1500	3000
1.260	59.055	118.110	882.555	400.320	32	1500	3000
1.496	59.055	118.110	1048.034	475.380	38	1500	3000
1.575	59.055	118.110	1103.193	500.400	40	1500	3000
1.890	59.055	118.110	1323.832	600.480	48	1500	3000
1.969	59.055	118.110	1378.991	625.500	50	1500	3000
2.756	59.055	118.110	1930.588	875.700	70	1500	3000
2.953	59.055	118.110	2068.487	938.250	75	1500	3000
3.150	49.213	98.425	1532.213	695.000	80	1250	2500
3.346	49.213	98.425	1627.976	738.438	85	1250	2500
3.543	49.213	98.425	1723.739	781.875	90	1250	2500
3.740	49.213	98.425	1819.503	825.313	95	1250	2500
3.937	49.213	98.425	1915.266	868.750	100	1250	2500
4.134	49.213	98.425	2011.029	912.188	105	1250	2500
4.331	49.213	98.425	2106.792	955.625	110	1250	2500
4.528	49.213	98.425	2202.556	999.063	115	1250	2500

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
4.724	49.213	98.425	2298.319	1042.500	120	1250	2500
4.921	49.213	98.425	2394.082	1085.938	125	1250	2500
5.118	49.213	98.425	2489.846	1129.375	130	1250	2500
5.315	49.213	98.425	2585.609	1172.813	135	1250	2500
5.512	49.213	98.425	2681.372	1216.250	140	1250	2500
5.709	49.213	98.425	2777.136	1259.688	145	1250	2500
5.906	49.213	98.425	2872.899	1303.125	150	1250	2500
6.299	49.213	98.425	3064.425	1390.000	160	1250	2500
6.693	49.213	98.425	3255.952	1476.875	170	1250	2500
7.087	49.213	98.425	3447.479	1563.750	180	1250	2500
7.480	49.213	98.425	3639.005	1650.625	190	1250	2500
7.874	49.213	98.425	3830.532	1737.500	200	1250	2500
8.268	49.213	98.425	4022.058	1824.375	210	1250	2500
8.661	49.213	98.425	4213.585	1911.250	220	1250	2500
9.055	49.213	98.425	4405.112	1998.125	230	1250	2500
9.449	49.213	98.425	4596.638	2085.000	240	1250	2500
9.843	49.213	98.425	4788.165	2171.875	250	1250	2500
10.236	49.213	98.425	4979.691	2258.750	260	1250	2500

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 T4 Alclad Aluminum Sheet




Specs: AMS 4279, ASTM B209, EN 485, AMS-QQ-A-250/5

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.020	59.055	118.110	13.790	6.255	0.5	1500	3000
0.024	59.055	118.110	16.548	7.506	0.6	1500	3000
0.031	59.055	118.110	22.064	10.008	0.8	1500	3000
0.039	59.055	118.110	27.580	12.510	1	1500	3000
0.047	59.055	118.110	33.096	15.012	1.2	1500	3000
0.079	59.055	118.110	55.160	25.020	2	1500	3000
0.098	59.055	118.110	68.950	31.275	2.5	1500	3000
0.138	59.055	118.110	96.529	43.785	3.5	1500	3000
0.157	59.055	118.110	110.319	50.040	4	1500	3000
0.197	59.055	118.110	137.899	62.550	5	1500	3000
0.236	59.055	118.110	165.479	75.060	6	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

2024 T4 Aluminum Plate



Specs: AMS 4297,ASTM B209, EN 485, AMS-QQ-A-250/4

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.315	59.055	118.110	220.639	100.080	8	1500	3000
0.394	59.055	118.110	275.798	125.100	10	1500	3000
0.472	59.055	118.110	330.958	150.120	12	1500	3000
0.551	59.055	118.110	386.118	175.140	14	1500	3000
0.591	59.055	118.110	413.697	187.650	15	1500	3000
0.630	59.055	118.110	441.277	200.160	16	1500	3000
0.709	59.055	118.110	496.437	225.180	18	1500	3000
0.787	59.055	118.110	551.597	250.200	20	1500	3000
0.787	59.055	55.118	257.412	116.760	20	1500	1400
0.866	59.055	118.110	606.756	275.220	22	1500	3000
0.984	59.055	118.110	689.496	312.750	25	1500	3000
1.102	59.055	118.110	772.235	350.280	28	1500	3000
1.378	59.055	118.110	965.294	437.850	35	1500	3000
1.575	59.055	118.110	1103.193	500.400	40	1500	3000
1.772	59.055	118.110	1241.092	562.950	45	1500	3000
1.969	59.055	118.110	1378.991	625.500	50	1500	3000
2.165	59.055	118.110	1516.891	688.050	55	1500	3000
2.362	59.055	118.110	1654.790	750.600	60	1500	3000
2.559	59.055	118.110	1792.689	813.150	65	1500	3000
2.756	59.055	118.110	1930.588	875.700	70	1500	3000
2.953	59.055	118.110	2068.487	938.250	75	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
3.150	59.055	118.110	2206.386	1000.800	80	1500	3000
3.346	59.055	118.110	2344.285	1063.350	85	1500	3000
3.543	59.055	118.110	2482.185	1125.900	90	1500	3000
3.937	59.055	118.110	2757.983	1251.000	100	1500	3000
4.331	59.055	118.110	3033.781	1376.100	110	1500	3000
4.724	59.055	118.110	3309.579	1501.200	120	1500	3000
5.118	49.213	98.425	2489.846	1129.375	130	1250	2500
5.512	59.055	118.110	3861.176	1751.400	140	1500	3000
5.906	59.055	118.110	4136.974	1876.500	150	1500	3000
6.299	59.055	118.110	4412.773	2001.600	160	1500	3000
6.693	55.118	118.110	4376.000	1984.920	170	1400	3000
7.087	59.055	118.110	4964.369	2251.800	180	1500	3000
7.480	49.213	98.425	3639.005	1650.625	190	1250	2500
7.874	49.213	98.425	3830.532	1737.500	200	1250	2500
8.268	49.213	98.425	4022.058	1824.375	210	1250	2500
8.661	49.213	98.425	4213.585	1911.250	220	1250	2500
9.055	49.213	98.425	4405.112	1998.125	230	1250	2500
9.449	49.213	98.425	4596.638	2085.000	240	1250	2500
9.843	49.213	98.425	4788.165	2171.875	250	1250	2500
10.236	49.213	98.425	4979.691	2258.750	260	1250	2500

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



Welcome to contact us!

+86 173 4489 4490

sale@chalcoaluminum.com

No. 89, Science Avenue, Zhengzhou
High-Tech Zone, Henan, China