




Aluminum Sheet Plate Stock List



Product Catalog


We supply a wide range of 6061 aluminum plates, including T6 and T651 variants, ensuring consistent performance and reliable quality. We support small batch orders and offer fast, efficient service for both in-stock and custom products.

6061 T6 Aluminum Sheet Plate.....1


6061 T651 Aluminum Sheet Plate.....5



Aluminum Sheet Plate Stock List



6061 T6 Aluminum Sheet Plate



Specs: AMS 4027, ASTM B209, EN 485, AMS-QQ-A-250/11

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.039	49.213	98.425	18.602	8.438	1	1250	2500
0.079	49.213	98.425	37.203	16.875	2	1250	2500
0.098	49.213	98.425	46.504	21.094	2.5	1250	2500
0.118	49.213	98.425	55.805	25.313	3	1250	2500
0.157	49.213	98.425	74.406	33.750	4	1250	2500
0.197	49.213	98.425	93.008	42.188	5	1250	2500
0.236	49.213	98.425	111.609	50.625	6	1250	2500
0.315	49.213	98.425	148.812	67.500	8	1250	2500
0.394	49.213	98.425	186.015	84.375	10	1250	2500
0.472	49.213	98.425	223.218	101.250	12	1250	2500
0.551	49.213	98.425	260.421	118.125	14	1250	2500
0.591	49.213	98.425	279.023	126.563	15	1250	2500
0.630	49.213	98.425	297.624	135.000	16	1250	2500
0.709	49.213	98.425	334.827	151.875	18	1250	2500
0.787	49.213	98.425	372.030	168.750	20	1250	2500
0.866	49.213	98.425	409.233	185.625	22	1250	2500


Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.984	49.213	98.425	465.038	210.938	25	1250	2500
1.102	49.213	98.425	520.842	236.250	28	1250	2500
1.181	59.055	118.110	803.585	364.500	30	1500	3000
1.260	59.055	118.110	857.157	388.800	32	1500	3000
1.378	59.055	118.110	937.516	425.250	35	1500	3000
1.575	59.055	118.110	1071.447	486.000	40	1500	3000
1.772	59.055	118.110	1205.377	546.750	45	1500	3000
1.969	59.055	118.110	1339.308	607.500	50	1500	3000
2.165	59.055	118.110	1473.239	668.250	55	1500	3000
2.362	59.055	118.110	1607.170	729.000	60	1500	3000
2.559	59.055	118.110	1741.101	789.750	65	1500	3000
2.756	59.055	118.110	1875.032	850.500	70	1500	3000
2.953	59.055	118.110	2008.962	911.250	75	1500	3000
3.150	59.055	118.110	2142.893	972.000	80	1500	3000
3.346	59.055	118.110	2276.824	1032.750	85	1500	3000
3.543	59.055	118.110	2410.755	1093.500	90	1500	3000
3.740	59.055	118.110	2544.686	1154.250	95	1500	3000
3.937	59.055	118.110	2678.616	1215.000	100	1500	3000
4.134	59.055	118.110	2812.547	1275.750	105	1500	3000
4.331	59.055	118.110	2946.478	1336.500	110	1500	3000
4.528	59.055	118.110	3080.409	1397.250	115	1500	3000
4.724	59.055	118.110	3214.340	1458.000	120	1500	3000
4.921	59.055	118.110	3348.271	1518.750	125	1500	3000
5.118	59.055	118.110	3482.201	1579.500	130	1500	3000
5.315	59.055	118.110	3616.132	1640.250	135	1500	3000
5.512	59.055	118.110	3750.063	1701.000	140	1500	3000
5.709	59.055	118.110	3883.994	1761.750	145	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
5.906	59.055	118.110	4017.925	1822.500	150	1500	3000
6.102	59.055	118.110	4151.856	1883.250	155	1500	3000
6.299	59.055	118.110	4285.786	1944.000	160	1500	3000
6.496	59.055	118.110	4419.717	2004.750	165	1500	3000
6.693	59.055	118.110	4553.648	2065.500	170	1500	3000
6.890	59.055	118.110	4687.579	2126.250	175	1500	3000
7.087	59.055	118.110	4821.510	2187.000	180	1500	3000
7.480	59.055	118.110	5089.371	2308.500	190	1500	3000
7.677	59.055	118.110	5223.302	2369.250	195	1500	3000
7.874	59.055	118.110	5357.233	2430.000	200	1500	3000
8.268	59.055	118.110	5625.095	2551.500	210	1500	3000
8.661	59.055	118.110	5892.956	2673.000	220	1500	3000
9.055	59.055	118.110	6160.818	2794.500	230	1500	3000
9.449	59.055	118.110	6428.680	2916.000	240	1500	3000
9.843	59.055	118.110	6696.541	3037.500	250	1500	3000
10.236	59.055	118.110	6964.403	3159.000	260	1500	3000
10.630	59.055	118.110	7232.265	3280.500	270	1500	3000
11.024	59.055	118.110	7500.126	3402.000	280	1500	3000
11.417	59.055	118.110	7767.988	3523.500	290	1500	3000
11.811	59.055	118.110	8035.849	3645.000	300	1500	3000
12.205	59.055	118.110	8303.711	3766.500	310	1500	3000
12.598	59.055	118.110	8571.573	3888.000	320	1500	3000
12.992	59.055	118.110	8839.434	4009.500	330	1500	3000
13.386	59.055	118.110	9107.296	4131.000	340	1500	3000
13.780	59.055	118.110	9375.158	4252.500	350	1500	3000
14.173	59.055	118.110	9643.019	4374.000	360	1500	3000
14.567	59.055	118.110	9910.881	4495.500	370	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
14.961	59.055	118.110	10178.743	4617.000	380	1500	3000
15.354	59.055	118.110	10446.604	4738.500	390	1500	3000
15.748	59.055	118.110	10714.466	4860.000	400	1500	3000
16.142	59.055	118.110	10982.328	4981.500	410	1500	3000
16.535	59.055	118.110	11250.189	5103.000	420	1500	3000
16.929	59.055	118.110	11518.051	5224.500	430	1500	3000
17.323	59.055	118.110	11785.913	5346.000	440	1500	3000
17.717	59.055	118.110	12053.774	5467.500	450	1500	3000
18.110	59.055	118.110	12321.636	5589.000	460	1500	3000
18.504	59.055	118.110	12589.497	5710.500	470	1500	3000
18.898	59.055	118.110	12857.359	5832.000	480	1500	3000
19.291	59.055	118.110	13125.221	5953.500	490	1500	3000
19.685	59.055	118.110	13393.082	6075.000	500	1500	3000
20.079	59.055	118.110	13660.944	6196.500	510	1500	3000
20.472	59.055	118.110	13928.806	6318.000	520	1500	3000
20.866	59.055	118.110	14196.667	6439.500	530	1500	3000
21.260	59.055	118.110	14464.529	6561.000	540	1500	3000
21.654	59.055	118.110	14732.391	6682.500	550	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

6061 T651 Aluminum Sheet Plate



Specs: AMS 4027,ASTM B209, EN 485, AMS-QQ-A-250/11

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
0.157	49.213	98.425	74.406	33.750	4	1250	2500
0.197	49.213	98.425	93.008	42.188	5	1250	2500
0.236	49.213	98.425	111.609	50.625	6	1250	2500
0.315	49.213	98.425	148.812	67.500	8	1250	2500
0.394	59.055	118.110	267.862	121.500	10	1500	3000
0.472	59.055	118.110	321.434	145.800	12	1500	3000
0.551	59.055	118.110	375.006	170.100	14	1500	3000
0.591	59.055	118.110	401.792	182.250	15	1500	3000
0.630	59.055	118.110	428.579	194.400	16	1500	3000
0.709	59.055	118.110	482.151	218.700	18	1500	3000
0.787	59.055	118.110	535.723	243.000	20	1500	3000
0.866	59.055	118.110	589.296	267.300	22	1500	3000
0.984	59.055	118.110	669.654	303.750	25	1500	3000
1.102	59.055	118.110	750.013	340.200	28	1500	3000
1.181	59.055	118.110	803.585	364.500	30	1500	3000
1.260	59.055	118.110	857.157	388.800	32	1500	3000
1.378	59.055	118.110	937.516	425.250	35	1500	3000
1.575	59.055	118.110	1071.447	486.000	40	1500	3000
1.772	59.055	118.110	1205.377	546.750	45	1500	3000
1.969	59.055	118.110	1339.308	607.500	50	1500	3000
2.165	59.055	118.110	1473.239	668.250	55	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
2.362	59.055	118.110	1607.170	729.000	60	1500	3000
2.559	59.055	118.110	1741.101	789.750	65	1500	3000
2.756	59.055	118.110	1875.032	850.500	70	1500	3000
2.953	59.055	118.110	2008.962	911.250	75	1500	3000
3.150	59.055	118.110	2142.893	972.000	80	1500	3000
3.346	59.055	118.110	2276.824	1032.750	85	1500	3000
3.543	59.055	118.110	2410.755	1093.500	90	1500	3000
3.740	59.055	118.110	2544.686	1154.250	95	1500	3000
3.937	59.055	118.110	2678.616	1215.000	100	1500	3000
4.134	59.055	118.110	2812.547	1275.750	105	1500	3000
4.331	59.055	118.110	2946.478	1336.500	110	1500	3000
4.528	59.055	118.110	3080.409	1397.250	115	1500	3000
4.724	59.055	118.110	3214.340	1458.000	120	1500	3000
4.921	59.055	118.110	3348.271	1518.750	125	1500	3000
5.118	59.055	118.110	3482.201	1579.500	130	1500	3000
5.315	59.055	118.110	3616.132	1640.250	135	1500	3000
5.512	59.055	118.110	3750.063	1701.000	140	1500	3000
5.709	59.055	118.110	3883.994	1761.750	145	1500	3000
5.906	59.055	118.110	4017.925	1822.500	150	1500	3000
6.102	59.055	118.110	4151.856	1883.250	155	1500	3000
6.299	59.055	118.110	4285.786	1944.000	160	1500	3000
6.496	59.055	118.110	4419.717	2004.750	165	1500	3000
6.693	59.055	118.110	4553.648	2065.500	170	1500	3000
6.890	59.055	118.110	4687.579	2126.250	175	1500	3000
7.087	59.055	118.110	4821.510	2187.000	180	1500	3000
7.480	59.055	118.110	5089.371	2308.500	190	1500	3000
7.874	59.055	118.110	5357.233	2430.000	200	1500	3000

Imperial Unit			Weight		International Unit		
T/in	W/in	Length/in	Lbs	Kg	T/mm	W/mm	Length/mm
8.268	59.055	118.110	5625.095	2551.500	210	1500	3000
8.661	59.055	118.110	5892.956	2673.000	220	1500	3000
9.055	59.055	118.110	6160.818	2794.500	230	1500	3000
9.449	59.055	118.110	6428.680	2916.000	240	1500	3000
9.843	59.055	118.110	6696.541	3037.500	250	1500	3000
10.236	59.055	118.110	6964.403	3159.000	260	1500	3000

- Standard aluminum plate sizes are 1200x2400mm, 1220x2440mm, 1500x3000mm, and 1520x3040mm, with custom sizes available upon request.
- We offer cutting, trimming, and precision machining services for all plates, including customized cutting for thin plates and block cutting for thick plates.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



Welcome to contact us!

+86 173 4489 4490

sale@chalcoaluminum.com

No. 89, Science Avenue, Zhengzhou
High-Tech Zone, Henan, China