


For equipment frames, enclosures, and displays.

Rich size matrix with selectable corner radius (R) and consistent diagonals for assembly-friendly fit-up and tolerance control.




A = Side

T = Wall Thickness


Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
X-4000-10	12.70	1.00	0.129
H15.9x15.9-1.2	15.90	1.20	0.190
H15.9x15.9-1.3	15.90	1.30	0.205
H15X15-1.5	15.00	1.50	0.220
H16x16-1.25	16.00	1.25	0.199
CA-SC0033	16.00	1.00	0.163
H19x19-1.5	19.00	1.50	0.286
HM4003-08	19.05	0.80	0.158
H19.05X1.27	19.05	1.27	0.246
H19.05x19.05-1.59	19.05	1.59	0.299
X-4003-30	19.05	3.00	0.522
H20X20-1.2	20.00	1.20	0.245
H21x21-2.0	21.00	2.00	0.412
H25X25-0.8	25.00	0.80	0.210
H25x25-1.2	25.00	1.20	0.310
H25x25	25.00	1.50	0.381
H25X25-1.6	25.00	1.60	0.406
H25X25-2.0	25.00	2.00	0.499
H25X25-3	25.00	3.00	0.716
X-4001-08	25.40	0.80	0.213




A = Side
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
H25.4X25.4-1.27	25.40	1.27	0.333
H25.4x25.4-1.57	25.40	1.57	0.406
H25.4x25.4-1.59	25.40	1.59	0.408
S-4004-20	25.40	2.00	0.507
H25.4x25.4-2.41	25.40	2.41	0.601
X-4004-30	25.40	3.00	0.726
H25.4x25.4-3.18	25.40	3.18	0.766
H27X27-3.0	27.00	3.00	0.781
MQ827	28.70	3.00	0.836
H30X30-1.2	30.00	1.20	0.373
H30x30-1.5	30.00	1.50	0.463
H30X30-2	30.00	2.00	0.607
H30X30-3.0	30.00	3.00	0.878
X-4008-08	31.70	0.80	0.267
H31.75X31.75-3.18	31.75	3.18	0.985
S-4008-12	31.80	1.20	0.398
X-4008-30	31.80	3.00	0.934
H32X32-0.9	32.00	0.90	0.304
H32X32-1.1	32.00	1.10	0.369
H35x35-1.2	35.00	1.20	0.438
H38x38-1.6	38.00	1.60	0.631
H38x38-2.0	38.00	2.00	0.778




A = Side
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
H38x38-3.0	38.00	3.00	1.138
X-4005-10	38.10	1.00	0.401
H38.1x38.1-1.9	38.10	1.90	0.746
H38.1x38.1-1.91	38.10	1.91	0.7474
H38.1X38.1-2.03	38.10	2.03	0.794
X-4005-30	38.10	3.00	1.137
H38.1x38.1-3.05	38.10	3.05	1.159
H38.1x38.1-3.18	38.10	3.18	1.204
H40X40-1.0	40.00	1.00	0.423
H40X40-1.4	40.00	1.40	0.586
H40x40-1.8	40.00	1.80	0.745
H40X40-2.0	40.00	2.00	0.824
H40X40-3.0	40.00	3.00	1.203
H40x40-4	40.00	4.00	1.561
H45x45-1.6	45.00	1.60	0.753
H45X45-2.0	45.00	2.00	0.932
x-4007	50.80	1.20	0.645
H50.8X50.8-1.7	50.80	1.80	0.905
H50.8x50.8-2.4	50.80	2.40	1.255
H50.8x50.8-2.39	50.80	2.39	1.254
X-4007-30	50.80	3.00	1.552
H50.8x50.8-3.18	50.80	3.18	1.641




A = Side
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
H50.8x50.8-6.35	50.80	6.35	3.060
H50x50-1.2	50.00	1.20	0.632
H50x50-1.4	50.00	1.40	0.738
H50X50-1.5	50.00	1.50	0.789
H50X50-2.0	50.00	2.00	1.041
KE0097	50.00	2.00	1.040
H50X50-3.0	50.00	3.00	1.529
H50X50-4.0	50.00	4.00	1.995
H60x60-1.2	60.00	1.20	0.765
H60X60-1.4	60.00	1.40	0.889
H60x60-2.0	60.00	2.00	1.256
H60X60-3.0	60.00	3.00	1.854
H60X60-4.0	60.00	4.00	2.429
H60X60-5.0	60.00	5.00	2.981
H63.5x63.5-3.0	63.50	3.00	1.960
H65X65-1.0	65.00	1.00	0.694
H70x70-1.5	70.00	1.50	1.114
H70X70-4.0	70.00	4.00	2.862
AC6044	72.00	1.80	1.370
X-4015-12	76.20	1.20	0.972
H76.2x76.2-3.18	76.20	3.18	2.517
H76.2x76.2-6.35	76.20	6.35	4.808




A = Side
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
AT2112	76.00	1.20	0.974
H76x76-1.4	76.00	1.40	1.132
H76X76-2.0	76.00	2.00	1.604
H76X76-2.5	76.00	2.50	1.985
H76x76-3.0	76.00	3.00	2.374
AT2141	76.00	3.00	2.375
H80X80-1.2	80.00	1.20	1.025
H80X80-1.4	80.00	1.40	1.193
H80x80-2.0	80.00	2.00	1.685
H80X80-4.0	80.00	4.00	3.295
H85X85-1.5	85.00	1.50	1.358
H88X88-1.1	88.00	1.10	1.032
H95X95-2.0	95.00	2.00	2.016
H97.7X97.7-1.5	97.70	1.50	1.564
HM4019-12	100.00	1.20	1.280
H100X100-1.8	100.00	1.80	1.916
H100X100-3.0	100.00	3.00	3.154
H100X100-4.0	100.00	4.00	4.163
H100X100-6.0	100.00	6.00	6.114
AT2109B	101.00	1.40	1.512
H101.6x101.6-3.18	101.60	3.18	3.393
H101.6x101.6-6.35	101.60	6.35	6.557



A = Side
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	Weight(kg/m)
HK-HD0003	110.00	2.00	2.351
H120X120-5.0	120.00	5.00	6.233
H150X150-2.5	150.00	2.50	3.997
H152.4X152.4-3.17	152.40	3.17	5.128
H152.4X152.4-4	152.40	4.00	6.435
H200x200-4.0	200.00	4.00	8.499



A = Side
T = Wall Thickness
R = Corner Radius
Weight: Theoretical (kg/m)

Profile Code	A(mm)	T(mm)	R(mm)	Weight(kg/m)
H11.9X11.9R-0.9	11.90	0.90	1.50	0.104
KE0099	20.00	1.60	1.00	0.317
x-4009	20.00	0.90	0.50	0.186
CN-FT0015	22.00	2.00	1.00	0.434
H25.4x25.4R-3.18	25.40	3.18	6.35	0.696
H35X35R-2.5	35.00	2.50	2.00	0.872
H38.1x38.1R-3.05	38.10	3.05	7.92	1.068
CN-ST0038	40.00	2.00	3.00	0.805
H50.8X50.8R-3.05	50.80	3.05	9.53	1.465
H50.8x50.8R-3.18	50.80	3.18	9.52	1.522
H50.8X50.8R-4.78	50.80	4.78	10.16	2.269
H50.8X50.8R-6.35	50.80	6.35	26.35	3.060
H60x60R-2.5	60.00	2.50	2.00	1.569
CN-ST0036	60.00	2.50	6.00	1.590
H60X60R-4.0	60.00	4.00	5.00	2.428
H76.2X76.2R-6.35	76.20	6.35	9.53	4.621
H80X80R-3.0	80.00	3.00	5.00	2.455
H80X80R-4.0	80.00	4.00	5.00	3.240
H90X90-7.0	90.00	7.00	12.00	6.022
H100X100R-2.5	100.00	2.50	4.50	2.605
H101.6X101.6R-4.78	101.60	4.78	4.78	5.012
H101.6X101.6R-6.35	101.60	6.35	6.35	6.533