


Round Tube


For structural members, fluid conduits, and sleeves.

Multiple wall-thickness options with controlled OD/ID tolerance, ovality, and line straightness; supports cut-to-length and finishing.




D = Outside Diameter
T = Wall Thickness
Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y6X1	6.00	1.00	0.042
Y8X1	8.00	1.00	0.060
Y8X1.2	8.00	1.20	0.070
GYQ536	8.00	1.50	0.084
Y8.5X1.75	8.50	1.75	0.101
Y9X1	9.00	1.00	0.069
X-7001	9.00	1.00	0.068
Y9.5X1.75	9.50	1.75	0.116
MD8-3	9.53	1.00	0.075
Y10X1	10.00	1.00	0.077
Y10X1.2	10.00	1.20	0.090
Y10X1.5	10.00	1.50	0.109
Y10X2.0	10.00	2.00	0.137
Y10X2.5	10.00	2.50	0.160
x-7035w	11.50	0.90	0.081
Y12.5X1.0	12.50	1.00	0.098
Y12.7X1.59	12.70	1.59	0.150
Y12X1	12.00	1.00	0.094
AT2309	12.00	1.00	0.094
Y12X1.5	12.00	1.50	0.134




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y12X2	12.00	2.00	0.171
MD2-1	12.70	1.00	0.099
Y12.7X1.1	12.70	1.10	0.109
Y12.7X1.27	12.70	1.27	0.124
Y13X1.5	13.00	1.50	0.147
Y15X1	15.00	1.00	0.119
Y15X2.0	15.00	2.00	0.222
Y15X3.0	15.00	3.00	0.307
BR-MC0089	15.50	0.80	0.100
Y15.5X1.75	15.50	1.75	0.205
Y15.9X1.0	15.90	1.00	0.127
Y16X1.0	16.00	1.00	0.128
Y16X1.25	16.00	1.25	0.157
Y16X1.5	16.00	1.50	0.185
Y-ME0003	16.00	2.00	0.239
Y18X1.0	18.00	1.00	0.145
Y18X1.5	18.00	1.50	0.211
Y18X2	18.00	2.00	0.273
Y19.1X2.14	19.10	2.14	0.333
X-7006-08	19.05	0.80	0.125
Y19.05X1.0	19.05	1.00	0.154
Y19.05X1.2	19.05	1.20	0.182




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y19.05X1.27	19.05	1.27	0.194
Y20X1	20.00	1.00	0.161
Y20X1.2	20.00	1.20	0.192
Y20X2	20.00	2.00	0.305
Y20X3.0	20.00	3.00	0.434
Y20X5	20.00	5.00	0.638
Y21.34X2.77	21.34	2.77	0.438
NF-SL0007	21.50	1.40	0.240
GYQ533	22.00	1.00	0.179
Y22X1.1	22.00	1.10	0.196
Y22X2	22.00	2.00	0.341
Y22X6.0	22.00	6.00	0.817
Y22.6X1.3	22.60	1.30	0.235
CN-HA0036	23.60	2.30	0.447
Y23.8X0.9	23.80	0.90	0.175
CN-ST0015	24.00	3.25	0.574
Y25X1.2	25.00	1.20	0.243
Y25X2.0	25.00	2.00	0.392
Y25X2.5	25.00	2.50	0.479
Y25X3	25.00	3.00	0.562
Y-FL0001	25.00	8.38	1.185
BR-MC0050	25.30	0.90	0.187




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
x-7007-10	25.40	1.00	0.209
Y25.4X1.0	25.40	1.00	0.208
Y25.4X1.27	25.40	1.27	0.260
Y25.4X3.0	25.40	3.00	0.572
Y26X6.5	26.00	6.50	1.079
HM-LS135	27.50	3.00	0.626
Y28X2.0	28.00	2.00	0.443
Y29X3.3	29.00	3.30	0.722
Y30X1.0	30.00	1.00	0.247
Y30X1.5	30.00	1.50	0.364
Y30X2	30.00	2.00	0.475
Y30X3.0	30.00	3.00	0.690
CN-ST0035	30.00	4.00	0.937
Y30X11	30.00	11.00	1.779
X-7008-10	31.75	1.00	0.261
Y32X1.2	32.00	1.20	0.315
Y32X2.0	32.00	2.00	0.511
Y32X3	32.00	3.00	0.741
S-7025-30	32.00	3.00	0.740
Y33.4X3.38	33.40	3.38	0.863
Y34X4.0	34.00	4.00	1.022
Y35X1	35.00	1.00	0.289




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y35X1.5	35.00	1.50	0.428
Y35X2	35.00	2.00	0.560
Y35X3.0A	35.00	3.00	0.817
Y35X5	35.00	5.00	1.277
Y35X11	35.00	11.00	2.248
Y37X2.0	37.00	2.00	0.596
x-00008	38.00	1.20	0.375
Y38X1.5	38.00	1.50	0.467
Y38X2.8	38.00	2.80	0.839
Y38X4.0	38.00	4.00	1.158
Y38X5.0	38.00	5.00	1.405
Y38.1X1.0	38.10	1.00	0.315
X-7009-12	38.10	1.20	0.375
Y38.5X5.1	38.50	5.10	1.450
GYQ1418	39.00	4.00	1.192
Y40X1.0	40.00	1.00	0.332
Y40X2	40.00	2.00	0.645
Y40X2.5	40.00	2.50	0.799
Y40X2.8	40.00	2.80	0.887
Y40X3	40.00	3.00	0.945
Y40X4.0	40.00	4.00	1.226
Y40X5	40.00	5.00	1.490




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y40X10	40.00	10.00	2.554
Y42.7X1.2	42.70	1.20	0.424
Y42.16X3.56	42.16	3.56	1.169
Y44X1.52	44.00	1.52	0.550
Y45X2.0	45.00	2.00	0.732
Y45X2.5	45.00	2.50	0.905
Y45X5.0	45.00	5.00	1.703
Y47X1.2	47.00	1.20	0.468
Y48X1.2	48.00	1.20	0.488
Y48X2.8	48.00	2.80	1.074
Y48X3	48.00	3.00	1.149
Y48.3X4.05	48.30	4.05	1.526
Y48.3X4.2	48.30	4.20	1.577
Y48.3X4.47	48.30	4.47	1.668
Y48.3X9.9	48.30	9.90	3.225
Y48.6X3	48.60	3.00	1.160
Y48.26X3.68	48.26	3.68	1.398
Y48X1	48.00	1.00	0.400
Y48X1.3	48.00	1.30	0.517
Y49X11.5	49.00	11.50	3.672
Y50X2	50.00	2.00	0.818
Y50X2.5	50.00	2.50	1.012




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y50X3.0	50.00	3.00	1.200
Y50X4.8	50.00	4.80	1.847
Y50X5	50.00	5.00	1.916
Y50X7.5	50.00	7.50	2.714
Y50X10	50.00	10.00	3.405
Y50X12.5	50.00	12.50	3.991
Y50.1X10.15	50.10	10.15	3.452
Y50.2X8.6	50.20	8.60	3.117
Y50.8X1.27	50.80	1.27	0.535
Y50.8X1.52	50.80	1.52	0.638
Y50.8X1.6	50.80	1.60	0.670
Y50.8X2.54	50.80	2.54	1.044
Y50.8X3.18	50.80	3.18	1.289
Y50.8X4.5	50.80	4.50	1.774
Y51X1.9	51.00	1.90	0.795
Y51X12.5	51.00	12.50	4.097
Y52.5X1	52.50	1.00	0.439
Y53.4X0.85	53.40	0.85	0.380
Y55X7.5	55.00	7.50	3.033
Y55X12.5	55.00	12.50	4.523
Y56-5.5	56.00	5.50	2.795
Y57.1X2.75	57.10	2.75	1.272




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
AT2301	59.00	1.50	0.735
Y60X1.5	60.00	1.50	0.747
Y60X2.0	60.00	2.00	0.988
Y60X2.5	60.00	2.50	1.312
Y60X3.0	60.00	3.00	1.456
Y60X5	60.00	5.00	2.342
Y60X12.5	60.00	12.50	5.056
Y60X15	60.00	15.00	5.747
Y60X17.5	60.00	17.50	6.333
Y60.1X10.15	60.10	10.15	4.316
Y60.32X3.91	60.32	3.91	1.879
Y60.5X5.0	60.50	5.00	2.379
Y61X2.0	61.00	2.00	1.001
Y62X9.5	62.00	9.50	4.404
Y63-7.0	63.00	7.00	3.337
Y65.2X12.7	65.20	12.70	5.677
Y65X7.5	65.00	7.50	3.672
Y66.5X2.5	66.50	2.50	1.470
Y66X9.5A	66.00	9.50	4.667
Y70X2	70.00	2.00	1.158
Y70X2.5	70.00	2.50	1.437
Y70X3.94	70.00	3.94	2.228




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y70X5	70.00	5.00	2.767
Y70X7.5	70.00	7.50	3.992
Y70X10	70.00	10.00	5.108
Y70X15	70.00	15.00	7.024
Y70X20	70.00	20.00	8.514
Y71.94X5.19	71.94	5.19	2.949
Y73.02X5.16	73.02	5.16	2.979
Y75X5	75.00	5.00	2.980
Y76.2X3.18	76.20	3.18	1.977
Y76.96X3.56	76.96	3.56	2.222
Y76.96X5.14	76.96	5.14	3.143
Y79.38X3.42	79.38	3.42	2.212
Y80X2	80.00	2.00	1.329
Y80X2.5	80.00	2.50	1.650
Y80X3	80.00	3.00	1.967
CN-DW0012	80.00	4.00	2.588
Y80X5	80.00	5.00	3.193
Y80X8	80.00	8.00	4.904
Y80X10	80.00	10.00	5.959
Y80X15	80.00	15.00	8.300
Y80X20	80.00	20.00	10.216
Y80X25	80.00	25.00	11.706




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y80.2X20.2	80.20	20.20	10.319
Y80.2X25.2	80.20	25.20	11.800
Y85X1.3	85.00	1.30	0.923
Y86.6X1.9	86.60	1.90	1.370
GYQ626	87.30	2.00	1.453
Y87.64X3.5	87.64	3.50	2.507
Y88.9X3.18	88.90	3.18	2.321
Y88.9X5.49	88.90	5.49	3.899
Y90X2	90.00	2.00	1.498
Y90X5	90.00	5.00	3.618
Y90X10	90.00	10.00	6.812
Y90X12.5	90.00	12.50	8.248
Y90X15	90.00	15.00	9.578
Y90.3X15.25A	90.30	15.25	9.744
Y90.3X20.25	90.30	20.25	12.077
Y90.3X25.25	90.30	25.25	13.984
Y93X1.7	93.00	1.70	1.321
Y100X5	100.00	5.00	4.044
Y100X8.0	100.00	8.00	6.266
Y100X10	100.00	10.00	7.662
Y100X12	100.00	12.00	8.990
Y100X15	100.00	15.00	10.855




D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y100X20	100.00	20.00	13.622
Y100X25	100.00	25.00	15.963
Y100X30	100.00	30.00	17.879
Y100.2X20.2	100.20	20.20	13.758
Y101.6X1.83	101.60	1.83	1.556
Y101.6X3.18	101.60	3.18	2.664
Y101.6X5.74	101.60	5.74	4.685
FR-MR014	108.00	1.95	1.761
Y110X5	110.00	5.00	4.470
Y110X10	110.00	10.00	8.515
Y110X15	110.00	15.00	12.132
Y114.3X3.05	114.30	3.05	2.886
Y114.3X6.02	114.30	6.02	5.550
Y114.3X8.56	114.30	8.56	7.707
Y120X2.5	120.00	2.50	2.502
Y120X5.0	120.00	5.00	4.900
Y120X8	120.00	8.00	7.628
Y120X10	120.00	10.00	9.365
Y120X15	120.00	15.00	13.409
Y120X20	120.00	20.00	17.027
Y127X3.18	127.00	3.18	3.352
Y127X3.5	127.00	3.50	3.680



D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
Y127X4.78	127.00	4.78	4.970
Y130X5	130.00	5.00	5.300
Y130X10	130.00	10.00	10.217
Y140X5	140.00	5.00	5.747
Y140X10	140.00	10.00	11.068
Y140X15	140.00	15.00	15.962
Y141.3X6.55	141.30	6.55	7.518
Y144X4.5	144.00	4.50	5.345
Y150X3	150.00	3.00	3.754
Y150X3.18	150.00	3.18	3.975
Y150X5.0	150.00	5.00	6.173
Y150X8	150.00	8.00	9.671
Y150X15	150.00	15.00	17.240
Y150X20	150.00	20.00	22.136
Y152.4X3.18	152.40	3.18	4.041
Y156X3.0	156.00	3.00	3.908
Y160X5	160.00	5.00	6.599
Y160X10	160.00	10.00	12.771
Y160X15	160.00	15.00	18.517
GYQ1799	161.00	8.00	10.482
Y168.28X4.2	168.28	4.20	5.867
Y170X5	170.00	5.00	7.024



D = Outside Diameter
 T = Wall Thickness
 Weight: Theoretical (kg/m)

Profile Code	D(mm)	T(mm)	Weight(kg/m)
GYQ1800	171.00	8.50	11.825
Y180X5	180.00	5.00	7.450
Y180X6	180.00	6.00	8.889
Y180X10	180.00	10.00	14.473
Y180X15	180.00	15.00	21.071
GYQ1801	181.00	8.50	12.553
Y189X5.0	189.00	5.00	7.833
Y190X5	190.00	5.00	7.875
Y200X5	200.00	5.00	8.301
Y200X10	200.00	10.00	16.176
Y203.2X3.18	203.20	3.18	5.415
Y208X4	208.00	4.00	6.947
Y219.08X8.18	219.08	8.18	14.687
Y221.5X10.5	221.50	10.50	19.311
GYQ992	235.00	5.10	9.982
GYQ1291	285.00	6.00	14.252